Majoni

Fenders, Floats & Buoys

Top quality made in Holland

QUALITY GUARANTEED
Since
1952

Fenders

Star Fender

	Diameter cm	Length cm	KG	Volume ltr
0.	10	40	0.4	2
1.	12	45	0.7	4
2.	15	58	1.1	8
2a.	18	60	1.3	13
3.	21	62	1.8	18
4.	24	70	2.4	27
5.	30	90	4.0	56

Starfender reinforced ribs

Combi Fender

	Diameter cm	Length cm	KG	Volume ltr
1.	12	45	0.5	4
2.	15	52	0.8	6
3.	21	64	1.6	19
4.	30	82	3.0	40

Combifender ribs on top

"Majoni = top quality for the best price"

Largest assortment fenders

Majoni has the largest assortment fenders in the world. Different shapes for different purpose and taste. Every fender is available in 12 colours with optional blue or black top with an extra strong shiny top layer. With a history dating back to 1952 Majoni is the first and leading developer and producer of fenders.

Available COLOURS:

Classic Fender

	Diameter cm	Length cm	KG	Volume ltr
1.	12	48	0.7	4
2.	14	53	1.0	6
3.	17	58	1.4	11
4.	21	64	1.9	18
5.	23	72	2.3	25
6.	27	81	3.6	39

Classicfender
with solid top

Cilinder Fender

	Diameter cm	Length cm	KG	Volume ltr
0.	9	30	0.3	1
1.	10	42	0.4	2
2.	12	55	0.9	4
3.	16	60	1.2	8
4.	22	65	2.0	17
5.	25	80	3.0	26
6.	30	90	4.0	42

Cilinderfender
matted top

"Top quality made in Holland"
Since 1952

We focus on personal commitment, efficiency and best quality products for the best price with care for our environment. Carefully selected materials and suppliers and a sustainable recycling process for more then 70 years.

Heavy Duty Fender

	Diameter cm	Length cm	KG	Volume ltr
1.	13	54	0.9	5
2.	15	65	1.4	9
3.	20	75	2.0	18
4.	25	85	3.0	30
HD Mega 1	35	110	5.0	60
HD Mega 2	45	140	8.0	147

Heavy duty fender
with solid top

Eco Fender

	Diameter cm	Length cm	KG	Volume ltr
1.	9	30	0.25	2
2.	12	42	0.50	4
2a.	12	55	0.75	5
3.	15	60	1.0	9
4.	19	68	1.5	16
5.	22	72	2.0	23
6.	25	80	2.5	34
7.	30	90	3.5	56

eco fender serie

Your own logo!

Brand your fender with your own logo.
Your logo is produced within the fender, integrated in our production process.
The logo will not come off.

Available COLOURS:

Drop Fender

	Diameter cm	Length cm	KG	Volume ltr
1.	12	45	0.7	5
2.	15	58	1.1	10
3.	21	62	1.8	20
4.	24	75	2.4	30
5.	30	90	4.0	50

Single-eye fender

Centerhole Fender

⊘ hole diameter is 16 mm

	Diameter cm	Length cm	KG	Volume ltr
1.	10	30	0.5	2
2.	15	43	0.9	6
3.	20	55	1.8	13
4.	25	68	2.4	25
5.	30	80	3.4	42

Through-hole fender serie

Majoni uses strong sustainable material that is perfect for recycling. Majoni is already recycling for 70 years.The material is low in energy consumption and together with our partners we develop sustainable innovations.

RECYCLE
ENVIRONMENT

Angle Fender

Diameter cm	Length cm	KG
15	32	0.7

Low freeboard protection

Marine Bucket

26 cm diameter - 7 liter

made of marine grade vinyl

Mega Fender

	Diameter cm	Length cm	KG
1.	35	110	4.5
2.	45	140	7.6
3.	60	160	13

''Easy inflation and deflation''

Roll Fender

	Diameter cm	Length cm	KG
1.	26	78	3.0
2.	26	110	3.5
3.	26	126	4.5

Inflation Guide

In all our fenders and buoys we use an unique strong brass valve for easy inflation and deflation. The best way to inflate a fender is just pushing air pressure from a compressor with a flat head against the valve and the fender will inflate. It is also possible to inflate the fender with a bicycle/car pump with the special adaptor. Please do not use a handset with a pin to inflate, because the pin can damage the valve. The best inflation pressure is 0.2 bar. This is the pressure where you should be able to press the body of the fender visible easy with your flat hand.

Pick-up Fender

	Diameter cm	Length cm	KG
1.	15	35	0.7
2.	18	40	0.9

Dumpy Fender

	Diameter cm	Length cm	KG
1.	15	30	0.7
2.	18	36	0.9

Pear Fender

	Diameter cm	Length cm	KG
2.	15	38	0.7
3.	18	48	1.1
4.	22	68	2.1

Ring Fender

Diameter cm	Length cm	KG
10	33	0.9

Available COLOURS:

Majoni Keyrings

Keeps your key floating.
Fenders available with your own logo!

* Star model: 10cm
* Drop model: 11cm
* Buoy model: 6cm

Adapter Tool

The Special Majoni Valve Adapter can be used for:

- Inflating with a bicycle pump
- Inflating with a car tire pump
- Pulling out the valve with the pulling aid
- Putting a valve back with the pushing aid
- Deflating by turning the adapter deeper in the valve

Inflation guide:

Arc Fender

Diameter cm	Width cm	Length	KG
20	54	43	2.5

Horseshoe Buoy & Fender

Width cm	Depth cm	Length cm	KG
50	10	52	3.0

Ladder Fender

Width cm	Depth cm	Length cm	KG
20	12	25	1.1

Extra Strong
Stackable from 1 tot 100 steps

PATENTED

Stairs Fender

	Width cm	Depth cm	Length cm	KG
One step	25	12	35	2.0
Two step	25	12	55	3.0
Three step	25	12	75	4.0
Four step	25	12	95	5.5

"Quality as guarantee "

* dedicated quality control system
* more than 70 years of excellence
* own special recipy of a strong UV-resistant marine grade of vinyl

Bow Buoy

Bowbuoy Big 1.8 kg	Bowbuoy small 0.65 kg
A = 52 cm	A = 37 cm
B = 41 cm	B = 28 cm
C = 37 cm	C = 23 cm
D = 51 cm	D = 32 cm



Bow Fender

Width cm	Length cm	KG
14	60	1.8

Available COLOURS:

Slim Fender

Diameter cm	Length cm	KG
5	43	0.45

Lady Fender

Width cm	Depth cm	Length cm	KG
25	22	84	4.0

Flat Fender

Width cm	Depth cm	Length cm	KG
12	6	45	1.2

Quality test points:

* carefully selected top quality materials and suppliers
* several external control points from production to packaging
* 24-hour thorough testing for leakage
* easy inflation and deflation test
* controls all over the proces

Dockfenders

Jetty Fender

	Width cm	Depth cm	Length cm	KG
Mini	10	7	25	0.30
Corner	10	7	31	0.70
Straight	10	7	50	0.85

Block Fender

	Width cm	Depth cm	Length cm	KG
Block 50	12	7	50	1.4
Block 100	12	7	100	2.0
Block 100 Flex	12	7	100	2.0

Dock Fender

	Width cm	Depth cm	Length cm	KG
Dock 1 Flex	19	19	100	3.6
Dock 2	24	24	110	6.0

''The Majoni production process is flexible and efficient ''

Multi Fender

	Width cm	Depth cm	Length cm	KG
Multifender	30	8	60	3.0
Multi strip	7	6	60	1.0





Available COLOURS:

Dockwheel

with or without plastic bracket

Width cm	Length cm	KG
30	15	1.2

Vat Fender

heavy duty dockwheel

Width cm	Length cm	KG
40	40	5.0

Buoys & Floats

Anchor Buoy

	Diameter cm	Length cm	KG	Ltr
1eye	35	40	0.9	22
2eye	35	46	0.9	22

Float Buoy

	Diameter cm	Length cm	KG	Ltr
0.	9	11	0.10	0.3
1.	15	21	0.25	2
1a.	18	24	0.40	3
2.	21	28	0.50	4
3.	26	36	0.75	8

Float 0 - also waterfilled available

Solid Head Buoy

	Diameter cm	Length cm	KG	Ltr
1.	35	48	1.5	21
2.	45	62	2.8	45
3.	55	73	3.8	83
4.	65	88	5.4	139
5.	85	105	7.5	314

optional: stainless steel eye

Available COLOURS:

''Majoni fenders and buoys works wonderfully''

Savingline Warpring

inner diameter: 11 cm
outer diameter: 18 cm

Nett Buoy

Diameter cm	Length cm	KG	Ltr
20	16	0.40	1.8

Besto Buoy

1. Besto Buoy 60cm - 1.6kg
   inner diameter: 35 cm
   outer diameter: 60 cm
2. Besto Buoy 2.5 kg - MED
   inner diameter: 45 cm
   outer diameter: 75 cm
3. Besto Buoy 4.5 kg - MED
   inner diameter: 45 cm
   outer diameter: 75 cm

SOLAS APPROVED
WHEELMARKED

MARINE EQUIPMENT DIRECTIVE
INTERNATIONAL MARITIME RESOLUTIONS

Fender LifeBuoy

Life Buoy made of fender material

inner diameter: 40 cm
outer diameter: 60 cm

Colours:
- orange with white strip
- white with red strip

Best Quality Lifebuoys made by Majoni!

* High buoyancy
* Selection of best European materials
* Produced with special technique -> no tension in material
* Solas tape completely around the buoy -> visible in every way

Majoni float 7x5cm

Diameter cm	Length cm	KG	hole cm
7	5	0.10	1

made of fender material (soft)

Dura Float - foam filled



	Diameter cm	Length cm	KG	Ltr	hole cm
1.	13.5	17.5	0.3	1.0	3
2.	20	20	0.8	4.0	3
3.	40	70	7.5	70	5

Dura float Stopper

⌀ 10 mm

Dura float Tube

16 mm inner - 20 mm outer diamater
Length on request - colour white or transparant

"Majoni is a family business with personal commitment"

Available COLOURS:

Mooring Buoy - foam filled

Available with or without rod



⊘ hole diameter is 3 cm

	Diameter cm	Length cm	KG	Ltr
short				
1.	30	60	3.2	11
2.	40	80	5.0	29
3.	50	90	7.5	58
long				
1.	40	115	5.5	28
2.	50	140	8.0	57



Mooring Buoy

⊘ hole diameter is 3 cm

	Diameter cm	Length cm	KG	Ltr
short				
1.	30	60	3.0	11
2.	40	80	4.5	29
3.	50	90	5.5	60
4.	60	100	7.0	106
long				
1.	40	115	5.0	28
2.	50	140	6.5	59
3.	60	165	8.0	105



''Majoni can make special products on request in an efficient way''

Majoni

Fenders, Floats & Buoys

majoni.nl

0031 (0)488-481441

info@majoni.nl

Majoni Plastics B.V.

Panhuizerweg 2 - 4041 CN Kesteren - The Netherlands